# Elines E105 J6412

## Point of Sale















#### **DESCRIPTION**

The Elines E105 POS has so many features that make it a unique device. It is an all-metal device with a foldable stand that allows for versatile presentation in any position and space. Additionally, it has a removable SATA memory that facilitates data management and storage.

This POS is perfect for commercial and business environments where a sturdy and functional point-of-sale solution is required.

#### **OPTIONS AND ACCESORIES**

Card reader: Track 1 & 2 & 3 Dallas Keys RFID/NFC Fingerprint VFD Screen for costumer 9,7" or 12.1"

#### **GUARANTEE**

3 years

















MOUNT ON WALL

**OUTDOORS** 

**RETAIL HOTELS** 

#### **SPECIFICATION**

• **Processor:** Intel® J6412

• Mother board: Industrial Intel® J6412

Chipset: SoC

• Operative System: Windows 11

#### **MEMORY**

• **DISC:** 128GB SATA removable (1TB expandable)

• RAM: 8GB (32GB expandable)

**TOUCH PANEL** 

• Screen: 15" - TFT LCD LED backlight

• **Resolution:** 1024 x 768 Bright: 350 cd/m2

• Panel: True flat capacitivo Adjustment angle: 360°

#### **POWER SUPPLY**

• Power supply: 12V 5A

**Speakers:** Optional

Power button: On/off

#### CONECTIVITY

• ETHERNET: 10/100/1000

• **DUAL WIFI:** 802.11 b/g/n 2.5G

#### **RELIABILITY**

• Certificate: CE, CB, RoHS, FCC, UKCA

• **Protection:** IP65 (Frontal)

#### PORTS - E/S

• 6 \* USB 2.0

• 2 \* COM

• 1 \* HDMI

• 1 \* VGA

• 1 \* I/O AUDIO

1 \* Ethernet RI45

#### PHYSICAL CHARACTERISTICS

• Color: Black, White (Optional)

• **Mount:** VESA 100 x 100 mm

• **Box dimensions:** 420 x 180 x 440 mm

Weight: 7 kg

Certificate: CE, CB, RoHS, FCC, UKCA

### WORK ENVIRONMENT

 Working temperature: 0°C a 50°C Storage temperature: -20°C a 60°C

• **Humedity:** 0 % -- 95 %

#### **OPTIONS**

MSR Cardreader (Optional)

NFC (Optional)

• Fingerprint (Optional)

• iButtons (Optional)

• **VFD** (Optional)

• Second screen 9.7" or 12.1" (Optional)

• Processor: Intel i5 8th generation (Optional)








PACKAGING VOLUME 30% LOWER

SAVE COSTS ON YOUR STORAGE AND SENT.



130%



**45MM** TRUE FLAT ULTRA SLIM SCREEN

#### WIRING INSTALLATION

HIDDEN CABLES THROUGH THE STRUCTURE METAL OF THE POS

