

PANTALLAS

TLM | PANEL PC

Thin aluminum foil, available in various formats. With 4GB expandable RAM memory. It includes 4 USB ports, HDMI, VGA, LAN, AUDIO and MIC.



The slim TLM screen is perfect as an interactive display for handling touch applications that require a large space using capacitive technology. Available in various sizes and resolutions depending on the needs.

The screen is made of aluminum, durable, and lightweight. It can be hung to function as a panel on any wall or structure and comes with USB, HDMI, VGA, LAN, and audio input and output connections.



www.tlmsolution.com

TLM | PANEL PC


PANTALLA TÁCTIL

Type	Capacitive
Cristal	Transmission 95%
Time of response	Less off 15ms
Touch technology	5mm
Hardness	7H
Temperature	-20°C to 60°C
O.S.	Windows 10
Support formats	MPEG-1, MPEG-2, MPEG-4, H.263 H.264, H.265, AVS, VC-1, RV, VP6 VP8, MVC

TECHNICAL SPECIFICATIONS

CPU	Intel J6412
GPU	Mali T460 412MHz
Ports	USB, MIC, HDMI, VGA, COM, AUDIO
RAM	4GB
Storage	128GB
LAN	1000M LAN, Realket 8111
Wifi	802.11 n/g
Bluetooth	BT 4.0
Soundcard	HQ integrated
Language	Multilanguage

MODEL	21,5"	23.8"	27"	32"
DIMENSIONS	530*320	570*340	642*380	755*449
WEIGHT	6,8KG	10KG	12KG	14,3KG
MOUNTING	VESA MIS-D 100C	VESA MIS-D 100C	VESA MIS-D 100C	STRUCTURE INCLUDED
VIEW ANGLE	178 / 178 / 170 / 170 DOWN / UP / LEFT / RIGHT			
RESOLUTION	1920*1080			
SCALE	16:9			
BRIGHT	280 - 350 cd/m ²			
COLORS	16.7m			
CONTRAST RATIO	2000:1			



TLM | PANEL PC

